

**Fairfield Public Schools**  
Fairfield, CT 06825

**TO:** Dr. Toni Jones, and Members of the Board of Education  
**FROM:** Thomas P. Cullen  
**DATE:** February 23, 2017  
**RE:** Fairfield Public Schools  
Radon Re-Evaluation Testing 2017 - Results

Please see attached letter with Radon Re-Evaluation Testing that was performed in January. All information will be posted on the FPS website and also filed with each individual school building main office for public viewing.

If you have any questions or concerns regarding this information, please feel free to contact me at (203) 255-8373.

Thank you.

c: Meg Brown  
Central Office Administrators

Environmental Consultants  
And Laboratory Services

Fax (203) 324-2222  
(203) 324-3876



Fairfield Public Schools  
Attn. Thomas Cullen

February 21, 2017

Re: Radon Re-Evaluation 2017  
Fairfield Public Schools

Dear Mr. Cullen.

Attached with this letter are documents for the radon re-evaluation recently conducted at Fairfield Public Schools. Testing was conducted from January 23-27, 2017.

- Laboratory Report
- Result summary sheet
- Letter template for each school

A total of seventeen schools were tested during this re-evaluation period. Of the seventeen schools tested, rooms (1 per school) from two schools return results that exceeded the action level of 4.0pCi/L.

- Mill Hill Elementary School Room 14
- Riverfield Elementary School Gym Office

A follow up test should be performed in each room with results exceeding the action level. Corrective recommendations will be made after completion of follow up test.

The radon samples were deployed and collected by a team from Hygenix, Inc, that was under my supervision. I am certified by the National Radon Safety Board (Certification Number 6SS0041), and listed on the Connecticut Department of Public Health list of "Radon Measurement Professional". This testing program meets the requirements of Connecticut General Statute Section 10-220(d) for radon testing at public schools.

The school letter should be kept in the main offices of each school so it is available to parents, staff, and other interested parties. If you have any questions or require additional information, please call me at (203) 324-2222.

Regards,

Ted Tio, MS, CIEC  
Hygenix, Inc

**RESULT SUMMARY TABLE 1**

| School                            | Test Dates | Location         | Results pCi/L |
|-----------------------------------|------------|------------------|---------------|
| Burr                              | Jan 23-26  | Custodian Office | 1.1           |
|                                   |            | Library          | 2.1           |
|                                   |            | Music 174        | 1.3           |
|                                   |            | Room 105         | 1.1           |
| Timothy Dwight                    | Jan 23-26  | Custodian Office | 0.9           |
|                                   |            | Faculty Room     | <0.3          |
|                                   |            | Room 16          | 0.9           |
|                                   |            | Room 6           | 0.7           |
| Fairfield Ludlowe High School     | Jan 23-26  | Custodian Office | 1.7           |
|                                   |            | Exercise Room    | 0.7           |
|                                   |            | I.T Room         | 2.4           |
|                                   |            | Men Coach        | <0.3          |
|                                   |            | Room 015         | 0.9           |
|                                   |            | Room 31          | 2.0           |
| Fairfield Ludlowe Middle School   | Jan 23-26  | Custodian Office | 1.6           |
|                                   |            | Faculty Dining   | 2.4           |
|                                   |            | Room 161         | 2.1           |
| Fairfield Warde High School - ECC | Jan 24-27  | Room 6           | 0.9           |
| Fairfield Warde High School       | Jan 24-27  | A2               | <0.3          |
|                                   |            | Custodian        | <0.3          |
|                                   |            | Math Lab         | 0.7           |
|                                   |            | Main Office      | 0.6           |
|                                   |            | P1               | <0.3          |
|                                   |            | P18              | <0.3          |
|                                   |            | P2               | <0.3          |
|                                   |            | P23              | 0.7           |
|                                   |            | P24              | <0.3          |
|                                   |            | P29              | 0.6           |
|                                   |            | P35              | <0.3          |
|                                   |            | P38              | <0.3          |
|                                   |            | P6               | 0.7           |
|                                   |            | T30              | <0.3          |
| T32                               | 0.6        |                  |               |
| T36                               | <0.3       |                  |               |
| Fairfield Woods Middle School     | Jan 24-27  | A110             | <0.3          |
|                                   |            | B101             | 0.6           |
|                                   |            | C113             | 0.8           |
|                                   |            | Guidance         | 0.6           |
|                                   |            | Main Office      | <0.3          |
|                                   |            | Music 113        | 0.6           |
|                                   |            | Nurse            | 1.0           |

**RESULT SUMMARY TABLE 2**

| School                                | Test Dates | Location               | Results pCi/L |
|---------------------------------------|------------|------------------------|---------------|
| Holland Hill<br>Elementary School     | Jan 23-26  | Custodian Office       | 0.8           |
|                                       |            | Main Office Reading Rm | <0.3          |
|                                       |            | Room 18                | 0.6           |
|                                       |            | Room 5                 | <0.3          |
| Jennings<br>Elementary School         | Jan 24-27  | Custodian Office       | 1.3           |
|                                       |            | Nurse                  | 1.1           |
|                                       |            | Room 12                | 1.4           |
|                                       |            | Room 13                | 2.0           |
| McKinley<br>Elementary School         | Jan 24-27  | Room 120               | <0.3          |
|                                       |            | Room 180               | <0.3          |
|                                       |            | Office 114             | 0.7           |
| Mill Hill<br>Elementary School        | Jan 23-26  | Faculty Room           | 0.9           |
|                                       |            | Nurse                  | 0.7           |
|                                       |            | Room 14                | 7.1           |
|                                       |            | Room 18                | <0.3          |
| North Stratfield<br>Elementary School | Jan 24-27  | Art Room               | 1.1           |
|                                       |            | Computer 16            | 0.9           |
|                                       |            | Room 32                | <0.3          |
|                                       |            | Custodian Office       | <0.3          |
|                                       |            | Nurse                  | 0.8           |
| Osborne Hill<br>Elementary School     | Jan 24-27  | Custodian Office       | 0.9           |
|                                       |            | Nurse                  | 1.0           |
|                                       |            | Room 14                | 0.7           |
|                                       |            | Room 4                 | 0.9           |
|                                       |            | Room 9                 | 1.0           |
| Riverfield<br>Elementary School       | Jan 24-27  | Gym Office             | 7.3           |
|                                       |            | Gym                    | 2.1           |
|                                       |            | Media Center           | 0.9           |
|                                       |            | Room 12                | <0.3          |
| Roger Sherman<br>School               | Jan 23-26  | Custodian Office       | <0.3          |
|                                       |            | Faculty Room           | 1.0           |
|                                       |            | Room 12                | 0.8           |
|                                       |            | Room 3                 | 1.1           |
| Stratfield<br>Elementary School       | Jan 24-27  | Computer Lab           | <0.3          |
|                                       |            | Main Office            | 0.6           |
|                                       |            | Music 103              | <0.3          |
| Tomlinson Middle<br>School            | Jan 23-26  | B011                   | 0.9           |
|                                       |            | B013                   | 1.5           |
|                                       |            | B02                    | <0.3          |
|                                       |            | Room 169               | <0.3          |
| Walter Fitzgerald<br>High School      | Jan 24-27  | English Classroom      | 1.0           |
|                                       |            | Main Office            | 1.1           |

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**BURR**  
**MAIN**

| KIT #   | Room Id     | Started              | Ended                | pCi/L     | Analyzed   |
|---------|-------------|----------------------|----------------------|-----------|------------|
| 7842734 | CUSTODIAN   | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 1.0 ± 0.4 | 2017-02-01 |
| 7842733 | CUSTODIAN   | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 1.1 ± 0.5 | 2017-02-01 |
| 7842736 | LIBRARY 178 | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 2.1 ± 0.5 | 2017-02-01 |
| 7842735 | MUSIC 174   | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 1.3 ± 0.5 | 2017-02-01 |
| 7842737 | ROOM 105    | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 1.1 ± 0.5 | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**DWIGHT  
MAIN**

| Kit #   | Room Id   | Started              | Ended                | pCi/L     | Analyzed   |
|---------|-----------|----------------------|----------------------|-----------|------------|
| 7842740 | CUSTODIAN | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 0.9 ± 0.4 | 2017-02-01 |
| 7842742 | FACULTY   | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | < 0.3     | 2017-02-01 |
| 7842741 | ROOM 16   | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 0.9 ± 0.5 | 2017-02-01 |
| 7842739 | ROOM 6    | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 0.8 ± 0.4 | 2017-02-01 |
| 7842738 | ROOM 6    | 2017-01-23 @ 2:00 pm | 2017-01-26 @ 2:00 pm | 0.9 ± 0.4 | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**FFPSQB**  
**MAIN**

| Klt #   | Room Id | Started              | Ended                | pCi/L     | Analyzed   |
|---------|---------|----------------------|----------------------|-----------|------------|
| 7824176 | A1      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | < 0.3     | 2017-02-01 |
| 7824177 | A2      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | < 0.3     | 2017-02-01 |
| 7824178 | A3      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | < 0.3     | 2017-02-01 |
| 7824179 | A4      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | < 0.3     | 2017-02-01 |
| 7824180 | A5      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | < 0.3     | 2017-02-01 |
| 7824181 | A6      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | < 0.3     | 2017-02-01 |
| 7824182 | A7      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | < 0.3     | 2017-02-01 |
| 7824183 | A8      | 2017-01-23 @ 7:00 am | 2017-01-26 @ 7:00 am | 0.8 ± 0.5 | 2017-02-01 |
| 7824184 | B1      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |
| 7824185 | B2      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |
| 7824186 | B3      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |
| 7824187 | B4      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |
| 7824188 | B5      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |
| 7824189 | B6      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | 0.7 ± 0.4 | 2017-02-01 |
| 7824190 | B7      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |
| 7824191 | B8      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |
| 7824192 | B9      | 2017-01-24 @ 6:00 am | 2017-01-27 @ 6:00 am | < 0.3     | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**FLHS  
MAIN**

| Kit #   | Room Id     | Started               | Ended                 | pCi/L     | Analyzed   |
|---------|-------------|-----------------------|-----------------------|-----------|------------|
| 7842707 | CUSTODIAN   | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 2.1 ± 0.5 | 2017-02-01 |
| 7842706 | CUSTODIAN   | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 1.2 ± 0.5 | 2017-02-01 |
| 7842712 | EXERCISE RM | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 0.7 ± 0.5 | 2017-02-01 |
| 7842709 | IT ROOM     | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 2.4 ± 0.6 | 2017-02-01 |
| 7842710 | M COACH OFF | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | < 0.3     | 2017-02-01 |
| 7842713 | RM 015      | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 0.9 ± 0.5 | 2017-02-01 |
| 7842708 | ROOM 31     | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 2.0 ± 0.5 | 2017-02-01 |
| 7842711 | W COACH OFF | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | < 0.3     | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498



---

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

---

Radon test result report for:  
**FLMS**  
**MAIN**

---

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>        | <b>Ended</b>          | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|-----------------------|-----------------------|--------------|-----------------|
| 7842714      | CUSTODIAN      | 2017-01-23 @ 11:00 am | 2017-01-26 @ 11:00 am | 1.7 ± 0.5    | 2017-02-01      |
| 7842715      | CUSTODIAN      | 2017-01-23 @ 11:00 am | 2017-01-26 @ 11:00 am | 1.4 ± 0.5    | 2017-02-01      |
| 7842717      | FACULTY DINING | 2017-01-23 @ 11:00 am | 2017-01-26 @ 11:00 am | 2.4 ± 0.6    | 2017-02-01      |
| 7842716      | ROOM 161       | 2017-01-23 @ 11:00 am | 2017-01-26 @ 11:00 am | 2.1 ± 0.5    | 2017-02-01      |

---

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**FWHS**

**ECC**

---

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>       | <b>Ended</b>         | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7842780      | RM 6           | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | 0.9 ± 0.4    | 2017-02-01      |
| 7842781      | RM 6           | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |

---

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**FWHS  
MAIN**

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>       | <b>Ended</b>         | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7842786      | A2             | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842779      | CUSTODIAN      | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842791      | MATH LAB       | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | 0.7 ± 0.4    | 2017-02-01      |
| 7842782      | MO             | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842783      | MO             | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | 0.6 ± 0.4    | 2017-02-01      |
| 7842790      | P1             | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842787      | P18            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842792      | P2             | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842785      | P23            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | 0.7 ± 0.4    | 2017-02-01      |
| 7842784      | P24            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842788      | P29            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | 0.6 ± 0.4    | 2017-02-01      |
| 7842789      | P35            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842794      | P38            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842793      | P6             | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | 0.7 ± 0.4    | 2017-02-01      |
| 7842797      | T30            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |
| 7842796      | T32            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | 0.6 ± 0.3    | 2017-02-01      |
| 7842795      | T36            | 2017-01-24 @ 1:00 pm | 2017-01-27 @ 1:00 pm | < 0.3        | 2017-02-01      |

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**FWMS**

**MAIN**

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>        | <b>Ended</b>          | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|-----------------------|-----------------------|--------------|-----------------|
| 7842762      | A110           | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | < 0.3        | 2017-02-01      |
| 7842763      | B101           | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 0.6 ± 0.4    | 2017-02-01      |
| 7842767      | C113           | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 0.8 ± 0.4    | 2017-02-01      |
| 7842766      | GUIDANCE       | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 0.6 ± 0.4    | 2017-02-01      |
| 7842765      | GUIDANCE       | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 0.5 ± 0.4    | 2017-02-01      |
| 7842761      | MO             | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | < 0.3        | 2017-02-01      |
| 7842760      | MO             | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | < 0.3        | 2017-02-01      |
| 7842768      | MUSIC 113      | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 0.6 ± 0.4    | 2017-02-01      |
| 7842764      | NURSE          | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 1.0 ± 0.4    | 2017-02-01      |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**HOLLAND HILL**  
**MAIN**

| Kit #   | Room Id       | Started              | Ended                | pCi/L     | Analyzed   |
|---------|---------------|----------------------|----------------------|-----------|------------|
| 7842730 | CUSTODIAN     | 2017-01-23 @ 1:00 pm | 2017-01-26 @ 1:00 pm | 0.8 ± 0.5 | 2017-02-01 |
| 7842729 | MO READING RM | 2017-01-23 @ 1:00 pm | 2017-01-26 @ 1:00 pm | < 0.3     | 2017-02-01 |
| 7842728 | MO READING RM | 2017-01-23 @ 1:00 pm | 2017-01-26 @ 1:00 pm | < 0.3     | 2017-02-01 |
| 7842732 | ROOM 18       | 2017-01-23 @ 1:00 pm | 2017-01-26 @ 1:00 pm | 0.6 ± 0.4 | 2017-02-01 |
| 7842731 | ROOM 5        | 2017-01-23 @ 1:00 pm | 2017-01-26 @ 1:00 pm | < 0.3     | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**JENNINGS**  
**MAIN**

| Kit #   | Room Id   | Started               | Ended                 | pCi/L     | Analyzed   |
|---------|-----------|-----------------------|-----------------------|-----------|------------|
| 7842758 | CUSTODIAN | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 1.3 ± 0.4 | 2017-02-01 |
| 7842755 | NURSE     | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 1.3 ± 0.4 | 2017-02-01 |
| 7842756 | NURSE     | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 0.9 ± 0.4 | 2017-02-01 |
| 7842757 | ROOM 12   | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 1.4 ± 0.4 | 2017-02-01 |
| 7842759 | ROOM 13   | 2017-01-24 @ 11:00 am | 2017-01-27 @ 11:00 am | 2.0 ± 0.5 | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**MCKINLEY  
MAIN**

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>       | <b>Ended</b>         | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7842800      | CR 120         | 2017-01-24 @ 2:00 pm | 2017-01-27 @ 2:00 pm | < 0.3        | 2017-02-01      |
| 7842801      | CR 180         | 2017-01-24 @ 2:00 pm | 2017-01-27 @ 2:00 pm | < 0.3        | 2017-02-01      |
| 7842798      | OFF 114        | 2017-01-24 @ 2:00 pm | 2017-01-27 @ 2:00 pm | < 0.3        | 2017-02-01      |
| 7842799      | OFF 114        | 2017-01-24 @ 2:00 pm | 2017-01-27 @ 2:00 pm | 0.7 ± 0.4    | 2017-02-01      |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**MILL HILL  
MAIN**

| Kit #   | Room Id | Started               | Ended                 | pCi/L     | Analyzed   |
|---------|---------|-----------------------|-----------------------|-----------|------------|
| 7842704 | FACULTY | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 0.9 ± 0.5 | 2017-02-01 |
| 7842702 | NURSE   | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 0.6 ± 0.4 | 2017-02-01 |
| 7842701 | NURSE   | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 0.7 ± 0.4 | 2017-02-01 |
| 7842705 | RM 14   | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | 7.1 ± 0.9 | 2017-02-01 |
| 7842703 | RM 18   | 2017-01-23 @ 10:00 am | 2017-01-26 @ 10:00 am | < 0.3     | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498



February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**N STRATFIELD**  
**MAIN**

| Kit #   | Room Id     | Started               | Ended                 | pCi/L     | Analyzed   |
|---------|-------------|-----------------------|-----------------------|-----------|------------|
| 7842772 | ART         | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | 1.1 ± 0.4 | 2017-02-01 |
| 7842774 | COMPUTER 16 | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | 0.9 ± 0.4 | 2017-02-01 |
| 7842773 | CR32        | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | < 0.3     | 2017-02-01 |
| 7842771 | CUSTODIAN   | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | < 0.3     | 2017-02-01 |
| 7842769 | NURSE       | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | 0.8 ± 0.4 | 2017-02-01 |
| 7842770 | NURSE       | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | 0.7 ± 0.4 | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**OSBORNE**  
**MAIN**

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>        | <b>Ended</b>          | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|-----------------------|-----------------------|--------------|-----------------|
| 7842753      | CUSTODIAN      | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 0.9 ± 0.4    | 2017-02-01      |
| 7842750      | NURSE          | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 0.6 ± 0.4    | 2017-02-01      |
| 7842749      | NURSE          | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 1.2 ± 0.4    | 2017-02-01      |
| 7842754      | RM 14          | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 0.7 ± 0.4    | 2017-02-01      |
| 7842751      | RM 4           | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 0.9 ± 0.4    | 2017-02-01      |
| 7842752      | RM 9           | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 1.0 ± 0.4    | 2017-02-01      |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**RIVERFIELD  
MAIN**

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>        | <b>Ended</b>          | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|-----------------------|-----------------------|--------------|-----------------|
| 7842747      | GYM            | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 1.8 ± 0.4    | 2017-02-01      |
| 7842748      | GYM            | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 2.3 ± 0.5    | 2017-02-01      |
| 7842746      | GYM OFFICE     | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 7.3 ± 0.7    | 2017-02-01      |
| 7842743      | MEDIA CTR      | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 0.8 ± 0.4    | 2017-02-01      |
| 7842744      | MEDIA CTR      | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | 0.9 ± 0.4    | 2017-02-01      |
| 7842745      | ROOM 12        | 2017-01-24 @ 10:00 am | 2017-01-27 @ 10:00 am | < 0.3        | 2017-02-01      |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**SHERMAN**  
**MAIN**

| Kit #   | Room Id   | Started               | Ended                 | pCi/L     | Analyzed   |
|---------|-----------|-----------------------|-----------------------|-----------|------------|
| 7842727 | CUSTODIAN | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | < 0.3     | 2017-02-01 |
| 7842723 | FACULTY   | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | 1.0 ± 0.5 | 2017-02-01 |
| 7842724 | FACULTY   | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | 0.8 ± 0.5 | 2017-02-01 |
| 7842725 | RM 12     | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | 0.8 ± 0.5 | 2017-02-01 |
| 7842726 | RM 3      | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | 1.1 ± 0.5 | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**STRATFIELD  
MAIN**

| Kit #   | Room Id      | Started               | Ended                 | pCi/L     | Analyzed   |
|---------|--------------|-----------------------|-----------------------|-----------|------------|
| 7842777 | COMPUTER LAB | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | < 0.3     | 2017-02-01 |
| 7842776 | MO           | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | 0.6 ± 0.4 | 2017-02-01 |
| 7842775 | MO           | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | < 0.3     | 2017-02-01 |
| 7842778 | MUSIC 103    | 2017-01-24 @ 12:00 pm | 2017-01-27 @ 12:00 pm | < 0.3     | 2017-02-01 |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:  
**TOMLINSON  
MAIN**

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>        | <b>Ended</b>          | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|-----------------------|-----------------------|--------------|-----------------|
| 7842722      | B011           | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | 0.9 ± 0.5    | 2017-02-01      |
| 7842720      | B013           | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | 1.5 ± 0.5    | 2017-02-01      |
| 7842721      | B02            | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | < 0.3        | 2017-02-01      |
| 7842718      | ROOM 169       | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | < 0.3        | 2017-02-01      |
| 7842719      | ROOM 169       | 2017-01-23 @ 12:00 pm | 2017-01-26 @ 12:00 pm | < 0.3        | 2017-02-01      |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

February 8, 2017

**\*\* LABORATORY ANALYSIS REPORT \*\***

Radon test result report for:

**WFHS  
MAIN**

| <b>Kit #</b> | <b>Room Id</b> | <b>Started</b>       | <b>Ended</b>         | <b>pCi/L</b> | <b>Analyzed</b> |
|--------------|----------------|----------------------|----------------------|--------------|-----------------|
| 7842804      | CR ENGLISH     | 2017-01-24 @ 2:00 pm | 2017-01-27 @ 2:00 pm | 1.0 ± 0.4    | 2017-02-01      |
| 7842803      | MO             | 2017-01-24 @ 2:00 pm | 2017-01-27 @ 2:00 pm | < 0.3        | 2017-02-01      |
| 7842802      | MO             | 2017-01-24 @ 2:00 pm | 2017-01-27 @ 2:00 pm | 1.1 ± 0.4    | 2017-02-01      |

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498