

January 22, 2015

Jason Pringle  
AMC Environmental, LLC  
PO Box 423  
Stratford, CT 06615

Project Location: Osborn, gymnasium  
Client Job Number:  
Project Number: [none]  
Laboratory Work Order Number: 15A0569

Enclosed are results of analyses for samples received by the laboratory on January 20, 2015. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Lisa Worthington", is displayed on a light gray rectangular background.

Lisa A. Worthington  
Project Manager

## Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
15A0569-01	5
15A0569-02	6
15A0569-03	7
15A0569-04	8
15A0569-05	9
15A0569-06	10
Sample Preparation Information	11
QC Data	12
Polychlorinated Biphenyls with 3540 Soxhlet Extraction	12
B113838	12
Dual Column RPD Report	13
Flag/Qualifier Summary	15
Certifications	16
Chain of Custody/Sample Receipt	17

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

AMC Environmental, LLC  
PO Box 423  
Stratford, CT 06615  
ATTN: Jason Pringle

REPORT DATE: 1/22/2015

PURCHASE ORDER NUMBER:

PROJECT NUMBER: [none]

#### ANALYTICAL SUMMARY

WORK ORDER NUMBER: 15A0569

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Osborn, gymnasium


FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
PCB-21 Exposed Joint Side C	15A0569-01	Wipe		SW-846 8082A	
PCB-22 Exposed Joint Side D	15A0569-02	Wipe		SW-846 8082A	
PCB-23 Exposed Joint Side D	15A0569-03	Wipe		SW-846 8082A	
PCB-24 Exposed Joint Side D	15A0569-04	Wipe		SW-846 8082A	
PCB-25 Blank	15A0569-05	Wipe		SW-846 8082A	
PCB-26 Blank	15A0569-06	Wipe		SW-846 8082A	

#### CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in dark ink, appearing to read "Johanna Harrington", is written over a light-colored, slightly textured background.

Johanna K. Harrington

Manager, Laboratory Reporting

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Osborn, gymnasium

Sample Description:

Work Order: 15A0569

Date Received: 1/20/2015

Field Sample #: PCB-21 Exposed Joint Side C

Sampled: 1/19/2015 00:00

Sample ID: 15A0569-01

Sample Matrix: Wipe

**Polychlorinated Biphenyls with 3540 Soxhlet Extraction**

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1221 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1232 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1242 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1248 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1254 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1260 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1262 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Aroclor-1268 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 2:49	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	79.6	30-150						1/22/15 2:49	
Decachlorobiphenyl [2]	88.0	30-150						1/22/15 2:49	
Tetrachloro-m-xylene [1]	78.7	30-150						1/22/15 2:49	
Tetrachloro-m-xylene [2]	78.7	30-150						1/22/15 2:49	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Osborn, gymnasium

Sample Description:

Work Order: 15A0569

Date Received: 1/20/2015

Field Sample #: PCB-22 Exposed Joint Side D

Sampled: 1/19/2015 00:00

Sample ID: 15A0569-02

Sample Matrix: Wipe

**Polychlorinated Biphenyls with 3540 Soxhlet Extraction**

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1221 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1232 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1242 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1248 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1254 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1260 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1262 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Aroclor-1268 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:01	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	81.5	30-150						1/22/15 3:01	
Decachlorobiphenyl [2]	90.7	30-150						1/22/15 3:01	
Tetrachloro-m-xylene [1]	81.7	30-150						1/22/15 3:01	
Tetrachloro-m-xylene [2]	81.5	30-150						1/22/15 3:01	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Osborn, gymnasium

Sample Description:

Work Order: 15A0569

Date Received: 1/20/2015

Field Sample #: PCB-23 Exposed Joint Side D

Sampled: 1/19/2015 00:00

Sample ID: 15A0569-03

Sample Matrix: Wipe

**Polychlorinated Biphenyls with 3540 Soxhlet Extraction**

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1221 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1232 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1242 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1248 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1254 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1260 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1262 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Aroclor-1268 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:13	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	82.4	30-150						1/22/15 3:13	
Decachlorobiphenyl [2]	91.3	30-150						1/22/15 3:13	
Tetrachloro-m-xylene [1]	81.7	30-150						1/22/15 3:13	
Tetrachloro-m-xylene [2]	81.7	30-150						1/22/15 3:13	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Osborn, gymnasium

Sample Description:

Work Order: 15A0569

Date Received: 1/20/2015

Field Sample #: PCB-24 Exposed Joint Side D

Sampled: 1/19/2015 00:00

Sample ID: 15A0569-04

Sample Matrix: Wipe

**Polychlorinated Biphenyls with 3540 Soxhlet Extraction**

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1221 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1232 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1242 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1248 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1254 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1260 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1262 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Aroclor-1268 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:26	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	80.5	30-150						1/22/15 3:26	
Decachlorobiphenyl [2]	89.3	30-150						1/22/15 3:26	
Tetrachloro-m-xylene [1]	81.6	30-150						1/22/15 3:26	
Tetrachloro-m-xylene [2]	81.5	30-150						1/22/15 3:26	



39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Osborn, gymnasium

Sample Description:

Work Order: 15A0569

Date Received: 1/20/2015

Field Sample #: PCB-25 Blank

Sampled: 1/19/2015 00:00

Sample ID: 15A0569-05

Sample Matrix: Wipe

**Polychlorinated Biphenyls with 3540 Soxhlet Extraction**

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1221 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1232 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1242 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1248 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1254 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1260 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1262 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Aroclor-1268 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:38	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	81.6	30-150						1/22/15 3:38	
Decachlorobiphenyl [2]	90.5	30-150						1/22/15 3:38	
Tetrachloro-m-xylene [1]	72.7	30-150						1/22/15 3:38	
Tetrachloro-m-xylene [2]	73.2	30-150						1/22/15 3:38	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

Project Location: Osborn, gymnasium

Sample Description:

Work Order: 15A0569

Date Received: 1/20/2015

Field Sample #: PCB-26 Blank

Sampled: 1/19/2015 00:00

Sample ID: 15A0569-06

Sample Matrix: Wipe

**Polychlorinated Biphenyls with 3540 Soxhlet Extraction**

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1221 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1232 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1242 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1248 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1254 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1260 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1262 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Aroclor-1268 [1]	ND	0.20	µg/Wipe	1		SW-846 8082A	1/20/15	1/22/15 3:50	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	80.6	30-150						1/22/15 3:50	
Decachlorobiphenyl [2]	90.1	30-150						1/22/15 3:50	
Tetrachloro-m-xylene [1]	81.6	30-150						1/22/15 3:50	
Tetrachloro-m-xylene [2]	81.8	30-150						1/22/15 3:50	

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [Wipe]	Final [mL]	Date
15A0569-01 [PCB-21 Exposed Joint Side C]	B113838	1.00	10.0	01/20/15
15A0569-02 [PCB-22 Exposed Joint Side D]	B113838	1.00	10.0	01/20/15
15A0569-03 [PCB-23 Exposed Joint Side D]	B113838	1.00	10.0	01/20/15
15A0569-04 [PCB-24 Exposed Joint Side D]	B113838	1.00	10.0	01/20/15
15A0569-05 [PCB-25 Blank]	B113838	1.00	10.0	01/20/15
15A0569-06 [PCB-26 Blank]	B113838	1.00	10.0	01/20/15

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

### QUALITY CONTROL

#### Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

#### Batch B113838 - SW-846 3540C

##### Blank (B113838-BLK1)

Prepared: 01/20/15 Analyzed: 01/21/15

Aroclor-1016	ND	0.20	µg/Wipe							
Aroclor-1016 [2C]	ND	0.20	µg/Wipe							
Aroclor-1221	ND	0.20	µg/Wipe							
Aroclor-1221 [2C]	ND	0.20	µg/Wipe							
Aroclor-1232	ND	0.20	µg/Wipe							
Aroclor-1232 [2C]	ND	0.20	µg/Wipe							
Aroclor-1242	ND	0.20	µg/Wipe							
Aroclor-1242 [2C]	ND	0.20	µg/Wipe							
Aroclor-1248	ND	0.20	µg/Wipe							
Aroclor-1248 [2C]	ND	0.20	µg/Wipe							
Aroclor-1254	ND	0.20	µg/Wipe							
Aroclor-1254 [2C]	ND	0.20	µg/Wipe							
Aroclor-1260	ND	0.20	µg/Wipe							
Aroclor-1260 [2C]	ND	0.20	µg/Wipe							
Aroclor-1262	ND	0.20	µg/Wipe							
Aroclor-1262 [2C]	ND	0.20	µg/Wipe							
Aroclor-1268	ND	0.20	µg/Wipe							
Aroclor-1268 [2C]	ND	0.20	µg/Wipe							
Surrogate: Decachlorobiphenyl	1.66		µg/Wipe	2.00		83.1	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.83		µg/Wipe	2.00		91.3	30-150			
Surrogate: Tetrachloro-m-xylene	1.63		µg/Wipe	2.00		81.7	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.64		µg/Wipe	2.00		81.8	30-150			

##### LCS (B113838-BS1)

Prepared: 01/20/15 Analyzed: 01/22/15

Aroclor-1016	0.52	0.20	µg/Wipe	0.500		104	40-140			
Aroclor-1016 [2C]	0.52	0.20	µg/Wipe	0.500		104	40-140			
Aroclor-1260	0.50	0.20	µg/Wipe	0.500		99.3	40-140			
Aroclor-1260 [2C]	0.52	0.20	µg/Wipe	0.500		103	40-140			
Surrogate: Decachlorobiphenyl	1.63		µg/Wipe	2.00		81.7	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.81		µg/Wipe	2.00		90.4	30-150			
Surrogate: Tetrachloro-m-xylene	1.69		µg/Wipe	2.00		84.7	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.70		µg/Wipe	2.00		85.2	30-150			

##### LCS Dup (B113838-BSD1)

Prepared: 01/20/15 Analyzed: 01/22/15

Aroclor-1016	0.51	0.20	µg/Wipe	0.500		102	40-140	1.26	30	
Aroclor-1016 [2C]	0.51	0.20	µg/Wipe	0.500		102	40-140	1.94	30	
Aroclor-1260	0.48	0.20	µg/Wipe	0.500		96.4	40-140	3.00	30	
Aroclor-1260 [2C]	0.50	0.20	µg/Wipe	0.500		101	40-140	2.61	30	
Surrogate: Decachlorobiphenyl	1.63		µg/Wipe	2.00		81.4	30-150			
Surrogate: Decachlorobiphenyl [2C]	1.81		µg/Wipe	2.00		90.7	30-150			
Surrogate: Tetrachloro-m-xylene	1.68		µg/Wipe	2.00		83.8	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	1.67		µg/Wipe	2.00		83.3	30-150			

# IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

*SW-846 8082A*

LCS

Lab Sample ID: B113838-BS1 Date(s) Analyzed: 01/22/2015 01/22/2015  
Instrument ID (1): \_\_\_\_\_ Instrument ID (2): \_\_\_\_\_  
GC Column (1): \_\_\_\_\_ ID: \_\_\_\_\_ (mm) GC Column (2): \_\_\_\_\_ ID: \_\_\_\_\_ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.52	
	2	0.00	0.00	0.00	0.52	0
Aroclor-1260	1	0.00	0.00	0.00	0.50	
	2	0.00	0.00	0.00	0.52	5

# IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

LCS Dup

Lab Sample ID: B113838-BSD1 Date(s) Analyzed: 01/22/2015 01/22/2015

Instrument ID (1): \_\_\_\_\_ Instrument ID (2): \_\_\_\_\_

GC Column (1): \_\_\_\_\_ ID: \_\_\_\_\_ (mm) GC Column (2): \_\_\_\_\_ ID: \_\_\_\_\_ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.51	
	2	0.00	0.00	0.00	0.51	0
Aroclor-1260	1	0.00	0.00	0.00	0.48	
	2	0.00	0.00	0.00	0.50	4

39 Spruce Street \* East Longmeadow, MA 01028 \* FAX 413/525-6405 \* TEL. 413/525-2332

#### FLAG/QUALIFIER SUMMARY

- \* QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

**CERTIFICATIONS****Certified Analyses included in this Report**

Analyte	Certifications
---------	----------------

No certified Analyses included in this Report

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2015
NC	North Carolina Div. of Water Quality	652	12/31/2015
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2015
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015





Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

## CHAIN OF CUSTODY RECORD

39 Spruce Street  
East longmeadow, MA 01028

Page 3 of 3

Company Name: AMC Environmental

Address: P.O. Box 423

Stratford, CT 06615

Attention: Jason Pringle

Project Location: Osborn - gymnasium

Sampled By:

Telephone: 203-378-5020

Project #

Client PO#

DATA DELIVERY (check all that apply)

☐ FAX ☒ EMAIL ☐ WEBSITE

Fax #

Email: results@amcenviro.com

Format:

☒ PDF ☐ EXCEL ☐ OGIS  
☐ OTHER

☐ "Enhanced Data Package"

Collection

Beginning Date/Time

Ending Date/Time

1/19/15

Client Sample ID / Description

PCB-21 exposed joint side C

PCB-22 exposed joint side D

PCB-23 exposed joint side D

PCB-24 exposed joint side D

PCB-25 Blank

PCB-26 Blank

Con-Test Lab ID (laboratory use only)

01

02

03

04

05

06

07

08

09

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

</

39 Spruce St.  
East Longmeadow, MA. 01028  
P: 413-525-2332  
F: 413-525-6405  
www.contestlabs.com



Page 1 of 2



## Sample Receipt Checklist

CLIENT NAME: AMC Environmental RECEIVED BY: KB DATE: 1/20/14

1) Was the chain(s) of custody relinquished and signed? Yes No No CoC Included

2) Does the chain agree with the samples? Yes No

If not, explain:

3) Are all the samples in good condition? Yes No

If not, explain:

4) How were the samples received:

On Ice ☒ Direct from Sampling ☐ Ambient ☐ In Cooler(s) ☒

Were the samples received in Temperature Compliance of (2-6°C)? Yes No N/A

Temperature °C by Temp blank \_\_\_\_\_ Temperature °C by Temp gun 4.9°

5) Are there Dissolved samples for the lab to filter? Yes No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Are there any RUSH or SHORT HOLDING TIME samples? Yes No

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

7) Location where samples are stored:

19

Permission to subcontract samples? Yes No  
(Walk-in clients only) if not already approved  
Client Signature: \_\_\_\_\_

8) Do all samples have the proper Acid pH: Yes No N/A

9) Do all samples have the proper Base pH: Yes No N/A

10) Was the PC notified of any discrepancies with the CoC vs the samples: Yes No N/A

### Containers received at Con-Test

	# of containers		# of containers
1 Liter Amber		8 oz amber/clear jar	
500 mL Amber		4 oz amber/clear jar	
250 mL Amber (8oz amber)		2 oz amber/clear jar	<u>6</u>
1 Liter Plastic		Plastic Bag / Ziploc	
500 mL Plastic		SOC Kit	
250 mL plastic		Non-ConTest Container	
40 mL Vial - type listed below		Perchlorate Kit	
Colisure / bacteria bottle		Flashpoint bottle	
Dissolved Oxygen bottle		Other glass jar	
Encore		Other	

Laboratory Comments:

40 mL vials: # HCl \_\_\_\_\_ # Methanol \_\_\_\_\_

Time and Date Frozen:

Doc# 277 # Bisulfate \_\_\_\_\_ # DI Water \_\_\_\_\_

Rev. 4 August 2013 # Thiosulfate \_\_\_\_\_ Unpreserved

**Login Sample Receipt Checklist**  
**(Rejection Criteria Listing - Using Sample Acceptance Policy)**  
**Any False statement will be brought to the attention of Client**

<u>Question</u>	<u>Answer (True/False)</u>		<u>Comment</u>
	T/F/NA		
1) The cooler's custody seal, if present, is intact.	NA		
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	T		
4) Cooler Temperature is acceptable.	T		
5) Cooler Temperature is recorded.	T		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	FF		
9) There are no discrepancies between the sample IDs on the container and the COC.	T		
10) Samples are received within Holding Time.	T		
11) Sample containers have legible labels.	T		
12) Containers are not broken or leaking.	T		
13) Air Cassettes are not broken/open.	NA		
14) Sample collection date/times are provided.	F		
15) Appropriate sample containers are used.	T		
16) Proper collection media used.	T		
17) No headspace sample bottles are completely filled.	NA		Wipes
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T		
19) Trip blanks provided if applicable.	NA		
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	NA		
21) Samples do not require splitting or compositing.	T		

Doc #277 Rev. 4 August 2013

Who notified of False statements?

Log-In Technician Initials: KB

Date/Time:

Date/Time:

12/01/15  
17:05