

November 18, 2014

Jason Pringle
AMC Environmental, LLC
PO Box 423
Stratford, CT 06615

Project Location: Osborn
Client Job Number:
Project Number: [none]
Laboratory Work Order Number: 14K0680

Enclosed are results of analyses for samples received by the laboratory on November 14, 2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Lisa Worthington", is displayed on a light gray rectangular background.

Lisa A. Worthington
Project Manager

Table of Contents

Sample Summary	3
Case Narrative	4
Sample Results	5
14K0680-01	5
14K0680-02	6
14K0680-03	7
14K0680-04	8
14K0680-05	9
14K0680-06	10
14K0680-07	11
14K0680-08	12
14K0680-09	13
14K0680-10	14
14K0680-11	15
14K0680-12	16
14K0680-13	17
14K0680-14	18
Sample Preparation Information	19
QC Data	20
Polychlorinated Biphenyls with 3540 Soxhlet Extraction	20
B109806	20
Dual Column RPD Report	21
Flag/Qualifier Summary	32
Certifications	33
Chain of Custody/Sample Receipt	34

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

AMC Environmental, LLC
PO Box 423
Stratford, CT 06615
ATTN: Jason Pringle

REPORT DATE: 11/18/2014

PURCHASE ORDER NUMBER:

PROJECT NUMBER: [none]

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 14K0680

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Osborn


FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
C1113-21	14K0680-01	Product/Solid	Gym Floor	SW-846 8082A	
C1113-22	14K0680-02	Product/Solid	Gym Floor	SW-846 8082A	
C1113-23	14K0680-03	Product/Solid	Gym Floor	SW-846 8082A	
C1113-24	14K0680-04	Product/Solid	Gym Floor	SW-846 8082A	
C1113-25	14K0680-05	Product/Solid	Gym Floor	SW-846 8082A	
C1113-26	14K0680-06	Product/Solid	Door Frame CMU	SW-846 8082A	
C1113-27	14K0680-07	Product/Solid	Door Frame CMU	SW-846 8082A	
C1113-28	14K0680-08	Product/Solid	Door Frame CMU-M	SW-846 8082A	
C1113-29	14K0680-09	Product/Solid	Expansion Joint CMU	SW-846 8082A	
C1113-30	14K0680-10	Product/Solid	Expansion Joint CMU	SW-846 8082A	
C1113-31	14K0680-11	Product/Solid	Expansion Joint CMU	SW-846 8082A	
C1113-32	14K0680-12	Product/Solid	Expansion Joint CMU-M	SW-846 8082A	
C1113-33	14K0680-13	Product/Solid	Expansion Joint CMU-M	SW-846 8082A	
C1113-34	14K0680-14	Product/Solid	Expansion Joint CMU-M	SW-846 8082A	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "Johanna Harrington", is written over a light-colored, slightly textured background.

Johanna K. Harrington

Manager, Laboratory Reporting

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Gym Floor

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-21

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-01

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1221 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1232 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1242 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1248 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1254 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1260 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1262 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Aroclor-1268 [1]	ND	0.13	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:45	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	110	30-150							
Decachlorobiphenyl [2]	93.3	30-150							
Tetrachloro-m-xylene [1]	104	30-150							
Tetrachloro-m-xylene [2]	94.8	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Gym Floor

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-22

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-02

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1221 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1232 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1242 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1248 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1254 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1260 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1262 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Aroclor-1268 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 17:58	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	123	30-150							
Decachlorobiphenyl [2]	105	30-150							
Tetrachloro-m-xylene [1]	117	30-150							
Tetrachloro-m-xylene [2]	107	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Gym Floor

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-23

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-03

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1221 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1232 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1242 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1248 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1254 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1260 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1262 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Aroclor-1268 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:11	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	142	30-150						11/17/14 18:11	
Decachlorobiphenyl [2]	122	30-150						11/17/14 18:11	
Tetrachloro-m-xylene [1]	134	30-150						11/17/14 18:11	
Tetrachloro-m-xylene [2]	123	30-150						11/17/14 18:11	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Gym Floor

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-24

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-04

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 18:24	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	144	30-150						11/17/14 18:24	
Decachlorobiphenyl [2]	123	30-150						11/17/14 18:24	
Tetrachloro-m-xylene [1]	136	30-150						11/17/14 18:24	
Tetrachloro-m-xylene [2]	125	30-150						11/17/14 18:24	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Gym Floor

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-25

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-05

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1221 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1232 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1242 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1248 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1254 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1260 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1262 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Aroclor-1268 [1]	ND	0.098	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:28	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	138	30-150							
Decachlorobiphenyl [2]	116	30-150							
Tetrachloro-m-xylene [1]	128	30-150							
Tetrachloro-m-xylene [2]	118	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Door Frame CMU

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-26

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-06

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1221 [1]	ND	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1232 [1]	ND	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1242 [1]	ND	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1248 [1]	0.86	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1254 [1]	1.4	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1260 [1]	ND	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1262 [1]	ND	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Aroclor-1268 [1]	ND	0.22	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 8:50	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	98.2	30-150						11/18/14 8:50	
Decachlorobiphenyl [2]	81.4	30-150						11/18/14 8:50	
Tetrachloro-m-xylene [1]	92.4	30-150						11/18/14 8:50	
Tetrachloro-m-xylene [2]	86.4	30-150						11/18/14 8:50	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Door Frame CMU

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-27

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-07

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1221 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1232 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1242 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1248 [1]	0.61	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1254 [1]	0.81	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1260 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1262 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Aroclor-1268 [1]	ND	0.099	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 19:54	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	106	30-150							
Decachlorobiphenyl [2]	88.9	30-150							
Tetrachloro-m-xylene [1]	98.3	30-150							
Tetrachloro-m-xylene [2]	88.1	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Door Frame CMU-M

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-28

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-08

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1221 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1232 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1242 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1248 [2]	3.0	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1254 [1]	7.1	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1260 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1262 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Aroclor-1268 [1]	ND	1.0	mg/Kg	10		SW-846 8082A	11/15/14	11/18/14 9:03	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	109	30-150						11/18/14 9:03	
Decachlorobiphenyl [2]	87.8	30-150						11/18/14 9:03	
Tetrachloro-m-xylene [1]	105	30-150						11/18/14 9:03	
Tetrachloro-m-xylene [2]	94.8	30-150						11/18/14 9:03	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Expansion Joint CMU

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-29

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-09

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1221 [1]	ND	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1232 [1]	ND	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1242 [1]	ND	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1248 [1]	0.69	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1254 [1]	1.2	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1260 [1]	ND	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1262 [1]	ND	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Aroclor-1268 [1]	ND	0.12	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:19	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	109	30-150							
Decachlorobiphenyl [2]	91.9	30-150							
Tetrachloro-m-xylene [1]	105	30-150							
Tetrachloro-m-xylene [2]	94.4	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Expansion Joint CMU

Work Order: 14K0680

Date Received: 11/14/2014

Sampled: 11/13/2014 00:00

Field Sample #: C1113-30

Sample ID: 14K0680-10

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1221 [1]	ND	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1232 [1]	ND	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1242 [1]	ND	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1248 [1]	1.2	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1254 [1]	2.2	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1260 [1]	ND	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1262 [1]	ND	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Aroclor-1268 [1]	ND	0.24	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:15	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	108	30-150						11/18/14 9:15	
Decachlorobiphenyl [2]	90.3	30-150						11/18/14 9:15	
Tetrachloro-m-xylene [1]	104	30-150						11/18/14 9:15	
Tetrachloro-m-xylene [2]	96.8	30-150						11/18/14 9:15	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Expansion Joint CMU

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-31

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-11

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1221 [1]	ND	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1232 [1]	ND	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1242 [1]	ND	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1248 [1]	1.1	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1254 [1]	2.2	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1260 [1]	ND	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1262 [1]	ND	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Aroclor-1268 [1]	ND	0.20	mg/Kg	1		SW-846 8082A	11/15/14	11/17/14 20:45	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	103	30-150						11/17/14 20:45	
Decachlorobiphenyl [2]	86.9	30-150						11/17/14 20:45	
Tetrachloro-m-xylene [1]	97.4	30-150						11/17/14 20:45	
Tetrachloro-m-xylene [2]	87.3	30-150						11/17/14 20:45	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Expansion Joint CMU-M

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-32

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-12

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1221 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1232 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1242 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1248 [1]	1.2	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1254 [1]	1.5	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1260 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1262 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Aroclor-1268 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:28	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	113	30-150						11/18/14 9:28	
Decachlorobiphenyl [2]	94.5	30-150						11/18/14 9:28	
Tetrachloro-m-xylene [1]	111	30-150						11/18/14 9:28	
Tetrachloro-m-xylene [2]	104	30-150						11/18/14 9:28	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Expansion Joint CMU-M

Work Order: 14K0680

Date Received: 11/14/2014

Sampled: 11/13/2014 00:00

Field Sample #: C1113-33

Sample ID: 14K0680-13

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1221 [1]	ND	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1232 [1]	ND	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1242 [1]	ND	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1248 [2]	2.5	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1254 [1]	7.4	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1260 [1]	ND	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1262 [1]	ND	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Aroclor-1268 [1]	ND	0.79	mg/Kg	5		SW-846 8082A	11/15/14	11/18/14 9:41	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	105	30-150						11/18/14 9:41	
Decachlorobiphenyl [2]	85.1	30-150						11/18/14 9:41	
Tetrachloro-m-xylene [1]	99.5	30-150						11/18/14 9:41	
Tetrachloro-m-xylene [2]	90.9	30-150						11/18/14 9:41	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn

Sample Description: Expansion Joint CMU-M

Work Order: 14K0680

Date Received: 11/14/2014

Field Sample #: C1113-34

Sampled: 11/13/2014 00:00

Sample ID: 14K0680-14

Sample Matrix: Product/Solid

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1221 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1232 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1242 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1248 [2]	1.2	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1254 [1]	1.3	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1260 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1262 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Aroclor-1268 [1]	ND	0.20	mg/Kg	2		SW-846 8082A	11/15/14	11/18/14 9:54	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	107	30-150						11/18/14 9:54	
Decachlorobiphenyl [2]	89.3	30-150						11/18/14 9:54	
Tetrachloro-m-xylene [1]	102	30-150						11/18/14 9:54	
Tetrachloro-m-xylene [2]	94.6	30-150						11/18/14 9:54	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date
14K0680-01 [C1113-21]	B109806	1.53	10.0	11/15/14
14K0680-02 [C1113-22]	B109806	2.02	10.0	11/15/14
14K0680-03 [C1113-23]	B109806	2.02	10.0	11/15/14
14K0680-04 [C1113-24]	B109806	2.00	10.0	11/15/14
14K0680-05 [C1113-25]	B109806	2.04	10.0	11/15/14
14K0680-06 [C1113-26]	B109806	1.84	10.0	11/15/14
14K0680-07 [C1113-27]	B109806	2.03	10.0	11/15/14
14K0680-08 [C1113-28]	B109806	2.01	10.0	11/15/14
14K0680-09 [C1113-29]	B109806	1.72	10.0	11/15/14
14K0680-10 [C1113-30]	B109806	1.70	10.0	11/15/14
14K0680-11 [C1113-31]	B109806	0.980	10.0	11/15/14
14K0680-12 [C1113-32]	B109806	2.03	10.0	11/15/14
14K0680-13 [C1113-33]	B109806	1.26	10.0	11/15/14
14K0680-14 [C1113-34]	B109806	2.00	10.0	11/15/14

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B109806 - SW-846 3540C

Blank (B109806-BLK1)

Prepared: 11/15/14 Analyzed: 11/17/14

Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0.10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0.10	mg/Kg							
Aroclor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0.10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0.10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
Surrogate: Decachlorobiphenyl	1.02		mg/Kg	1.00		102	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.889		mg/Kg	1.00		88.9	30-150			
Surrogate: Tetrachloro-m-xylene	1.01		mg/Kg	1.00		101	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.920		mg/Kg	1.00		92.0	30-150			

LCS (B109806-BS1)

Prepared: 11/15/14 Analyzed: 11/17/14

Aroclor-1016	0.30	0.10	mg/Kg	0.250		119	40-140			
Aroclor-1016 [2C]	0.25	0.10	mg/Kg	0.250		100	40-140			
Aroclor-1260	0.27	0.10	mg/Kg	0.250		109	40-140			
Aroclor-1260 [2C]	0.25	0.10	mg/Kg	0.250		98.3	40-140			
Surrogate: Decachlorobiphenyl	1.07		mg/Kg	1.00		107	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.941		mg/Kg	1.00		94.1	30-150			
Surrogate: Tetrachloro-m-xylene	1.04		mg/Kg	1.00		104	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.960		mg/Kg	1.00		96.0	30-150			

LCS Dup (B109806-BSD1)

Prepared: 11/15/14 Analyzed: 11/17/14

Aroclor-1016	0.30	0.10	mg/Kg	0.250		120	40-140	1.50	30	
Aroclor-1016 [2C]	0.26	0.10	mg/Kg	0.250		103	40-140	2.35	30	
Aroclor-1260	0.28	0.10	mg/Kg	0.250		112	40-140	2.36	30	
Aroclor-1260 [2C]	0.25	0.10	mg/Kg	0.250		101	40-140	2.56	30	
Surrogate: Decachlorobiphenyl	1.08		mg/Kg	1.00		108	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.935		mg/Kg	1.00		93.5	30-150			
Surrogate: Tetrachloro-m-xylene	1.03		mg/Kg	1.00		103	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.945		mg/Kg	1.00		94.5	30-150			

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-26

Lab Sample ID: 14K0680-06 Date(s) Analyzed: 11/18/2014 11/18/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	0.86	
	2	0.00	0.00	0.00	0.71	19.1
Aroclor-1254	1	0.00	0.00	0.00	1.4	
	2	0.00	0.00	0.00	1.3	9.5

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-27

Lab Sample ID: 14K0680-07 Date(s) Analyzed: 11/17/2014 11/17/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	0.61	
	2	0.00	0.00	0.00	0.47	26.2
Aroclor-1254	1	0.00	0.00	0.00	0.81	
	2	0.00	0.00	0.00	0.70	15.1

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-28

Lab Sample ID: 14K0680-08 Date(s) Analyzed: 11/18/2014 11/18/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	2.6	
	2	0.00	0.00	0.00	3.0	13.5
Aroclor-1254	1	0.00	0.00	0.00	7.1	
	2	0.00	0.00	0.00	6.4	10.1

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-29

Lab Sample ID: 14K0680-09 Date(s) Analyzed: 11/17/2014 11/17/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	0.69	
	2	0.00	0.00	0.00	0.66	4.0
Aroclor-1254	1	0.00	0.00	0.00	1.2	
	2	0.00	0.00	0.00	1.1	12.0

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-30

Lab Sample ID: 14K0680-10 Date(s) Analyzed: 11/18/2014 11/18/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	1.2	
	2	0.00	0.00	0.00	1.1	6.2
Aroclor-1254	1	0.00	0.00	0.00	2.2	
	2	0.00	0.00	0.00	2.1	6.0

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-31

Lab Sample ID: 14K0680-11 Date(s) Analyzed: 11/17/2014 11/17/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	1.1	
	2	0.00	0.00	0.00	0.91	17.1
Aroclor-1254	1	0.00	0.00	0.00	2.2	
	2	0.00	0.00	0.00	2.0	8.2

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-32

Lab Sample ID: 14K0680-12 Date(s) Analyzed: 11/18/2014 11/18/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	1.2	
	2	0.00	0.00	0.00	1.1	9.5
Aroclor-1254	1	0.00	0.00	0.00	1.5	
	2	0.00	0.00	0.00	1.4	6.2

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-33

Lab Sample ID: 14K0680-13 Date(s) Analyzed: 11/18/2014 11/18/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	2.4	
	2	0.00	0.00	0.00	2.5	4.5
Aroclor-1254	1	0.00	0.00	0.00	7.4	
	2	0.00	0.00	0.00	6.9	7.5

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

C1113-34

Lab Sample ID: 14K0680-14 Date(s) Analyzed: 11/18/2014 11/18/2014

Instrument ID (1): _____ Instrument ID (2): _____

GC Column (1): _____ ID: _____ (mm) GC Column (2): _____ ID: _____ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1248	1	0.00	0.00	0.00	1.2	
	2	0.00	0.00	0.00	1.2	4.3
Aroclor-1254	1	0.00	0.00	0.00	1.3	
	2	0.00	0.00	0.00	1.3	2.3

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

LCS

Lab Sample ID: B109806-BS1 Date(s) Analyzed: 11/17/2014 11/17/2014

Instrument ID (1): _____ Instrument ID (2): _____

GC Column (1): _____ ID: _____ (mm) GC Column (2): _____ ID: _____ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.30	
	2	0.00	0.00	0.00	0.25	17
Aroclor-1260	1	0.00	0.00	0.00	0.27	
	2	0.00	0.00	0.00	0.25	9

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

LCS Dup

Lab Sample ID: B109806-BSD1 Date(s) Analyzed: 11/17/2014 11/17/2014

Instrument ID (1): _____ Instrument ID (2): _____

GC Column (1): _____ ID: _____ (mm) GC Column (2): _____ ID: _____ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.30	
	2	0.00	0.00	0.00	0.26	15
Aroclor-1260	1	0.00	0.00	0.00	0.28	
	2	0.00	0.00	0.00	0.25	11

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>SW-846 8082A in Product/Solid</i>	
Aroclor-1016	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1016 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1221	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1221 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1232	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1232 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1242	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1242 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1248	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1248 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1254	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1254 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1260	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1260 [2C]	CT,NH,NY,ME,NC,VA,NJ

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:


Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2014
NC	North Carolina Div. of Water Quality	652	12/31/2014
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2015

[illegible]

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com



Page 1 of 2



Sample Receipt Checklist

CLIENT NAME: Amc RECEIVED BY: KKm DATE: 11/14/14

1) Was the chain(s) of custody relinquished and signed? Yes No No CoC Included

2) Does the chain agree with the samples?

Yes No

If not, explain:

3) Are all the samples in good condition?

Yes No

If not, explain:

4) How were the samples received:

On Ice ☒ Direct from Sampling ☐ Ambient ☐ In Cooler(s) ☒

Were the samples received in Temperature Compliance of (2-6°C)? Yes No N/A

Temperature °C by Temp blank _____ Temperature °C by Temp gun 4.6

5) Are there Dissolved samples for the lab to filter?

Yes No

Who was notified _____ Date _____ Time _____

6) Are there any RUSH or SHORT HOLDING TIME samples?

Yes No

Who was notified _____ Date _____ Time _____

7) Location where samples are stored:

19

Permission to subcontract samples? Yes No
(Walk-in clients only) if not already approved
Client Signature: _____

8) Do all samples have the proper Acid pH: Yes No N/A

9) Do all samples have the proper Base pH: Yes No N/A

10) Was the PC notified of any discrepancies with the CoC vs the samples: Yes No N/A

Containers received at Con-Test

	# of containers		# of containers
1 Liter Amber		8 oz amber/clear jar	
500 mL Amber		4 oz amber/clear jar	
250 mL Amber (8oz amber)		2 oz amber/clear jar	<u>34</u>
1 Liter Plastic		Plastic Bag / Ziploc	
500 mL Plastic		SOC Kit	
250 mL plastic		Non-ConTest Container	
40 mL Vial - type listed below		Perchlorate Kit	
Colisure / bacteria bottle		Flashpoint bottle	
Dissolved Oxygen bottle		Other glass jar	
Encore		Other	

Laboratory Comments:

limited sample volume for some samples

40 mL vials: # HCl _____ # Methanol _____

Doc# 277 # Bisulfate _____ # DI Water _____

Rev. 4 August 2013 # Thiosulfate _____ Unpreserved _____

Time and Date Frozen:

Login Sample Receipt Checklist

(Rejection Criteria Listing - Using Sample Acceptance Policy)

Any False statement will be brought to the attention of Client

<u>Question</u>	<u>Answer (True/False)</u>		<u>Comment</u>
	T/F/NA		
1) The cooler's custody seal, if present, is intact.	NA		
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	T		
4) Cooler Temperature is acceptable.	T		
5) Cooler Temperature is recorded.	T		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) There are no discrepancies between the sample IDs on the container and the COC.	T		
10) Samples are received within Holding Time.	T		
11) Sample containers have legible labels.	T		
12) Containers are not broken or leaking.	T		
13) Air Cassettes are not broken/open.	NA		
14) Sample collection date/times are provided.	T		
15) Appropriate sample containers are used.	T		
16) Proper collection media used.	T		
17) No headspace sample bottles are completely filled.	NA		
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	(KM) F		*see pg. 1
19) Trip blanks provided if applicable.	NA		
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	NA		
21) Samples do not require splitting or compositing.	T		

Doc #277 Rev. 4 August 2013

Who notified of False statements?

Log-In Technician Initials:

KKM

Date/Time:

Date/Time:

11/14/14
18:30