

August 16, 2014

Jason Pringle
AMC Environmental, LLC
PO Box 423
Stratford, CT 06615

Project Location: Osborn School
Client Job Number:
Project Number: [none]
Laboratory Work Order Number: 14H0613

Enclosed are results of analyses for samples received by the laboratory on August 14, 2014. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Lisa Worthington", is displayed on a light gray rectangular background.

Lisa A. Worthington
Project Manager

Table of Contents

Sample Summary	4
Case Narrative	5
Sample Results	6
14H0613-01	6
14H0613-02	7
14H0613-03	8
14H0613-04	9
14H0613-05	10
14H0613-06	11
14H0613-07	12
14H0613-08	13
14H0613-09	14
14H0613-10	15
14H0613-11	16
14H0613-12	17
14H0613-13	18
14H0613-14	19
14H0613-15	20
14H0613-16	21
14H0613-17	22
14H0613-18	23
14H0613-19	24
14H0613-20	25
Sample Preparation Information	26
QC Data	27
Polychlorinated Biphenyls with 3540 Soxhlet Extraction	27

Table of Contents (continued)

B102641	27
B102775	28
Dual Column RPD Report	29
Flag/Qualifier Summary	34
Certifications	35
Chain of Custody/Sample Receipt	36

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

AMC Environmental, LLC
PO Box 423
Stratford, CT 06615
ATTN: Jason Pringle

REPORT DATE: 8/16/2014

PURCHASE ORDER NUMBER:

PROJECT NUMBER: [none]

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 14H0613

The results of analyses performed on the following samples submitted to the CON-TEST Analytical Laboratory are found in this report.

PROJECT LOCATION: Osborn School

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
C0813-01	14H0613-01	Concrete		SW-846 8082A	
C0813-02	14H0613-02	Concrete		SW-846 8082A	
C0813-03	14H0613-03	Concrete		SW-846 8082A	
C0813-04	14H0613-04	Concrete		SW-846 8082A	
C0813-05	14H0613-05	Concrete		SW-846 8082A	
C0813-06	14H0613-06	Concrete		SW-846 8082A	
C0813-07	14H0613-07	Concrete		SW-846 8082A	
C0813-08	14H0613-08	Concrete		SW-846 8082A	
C0813-09	14H0613-09	Concrete		SW-846 8082A	
C0813-10	14H0613-10	Concrete		SW-846 8082A	
C0813-11	14H0613-11	Concrete		SW-846 8082A	
C0813-12	14H0613-12	Concrete		SW-846 8082A	
C0813-13	14H0613-13	Concrete		SW-846 8082A	
C0813-14	14H0613-14	Concrete		SW-846 8082A	
C0813-15	14H0613-15	Concrete		SW-846 8082A	
C0813-16	14H0613-16	Concrete		SW-846 8082A	
C0813-17	14H0613-17	Concrete		SW-846 8082A	
C0813-18	14H0613-18	Concrete		SW-846 8082A	
C0813-19	14H0613-19	Concrete		SW-846 8082A	
C0813-20	14H0613-20	Concrete		SW-846 8082A	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Con-Test Analytical Laboratory for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

A handwritten signature in black ink, appearing to read "Daren J. Damboragian", is written over a light gray rectangular background.

Daren J. Damboragian
Laboratory Manager

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-01

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-01

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:13	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	93.7	30-150						8/15/14 14:13	
Decachlorobiphenyl [2]	86.9	30-150						8/15/14 14:13	
Tetrachloro-m-xylene [1]	81.9	30-150						8/15/14 14:13	
Tetrachloro-m-xylene [2]	67.0	30-150						8/15/14 14:13	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-02

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-02

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:43	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	66.5	30-150						8/15/14 18:43	
Decachlorobiphenyl [2]	62.1	30-150						8/15/14 18:43	
Tetrachloro-m-xylene [1]	61.7	30-150						8/15/14 18:43	
Tetrachloro-m-xylene [2]	60.1	30-150						8/15/14 18:43	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-03

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-03

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 14:38	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	72.1	30-150						8/15/14 14:38	
Decachlorobiphenyl [2]	67.2	30-150						8/15/14 14:38	
Tetrachloro-m-xylene [1]	64.8	30-150						8/15/14 14:38	
Tetrachloro-m-xylene [2]	53.0	30-150						8/15/14 14:38	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-04

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-04

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:56	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	72.5	30-150						8/15/14 18:56	
Decachlorobiphenyl [2]	68.4	30-150						8/15/14 18:56	
Tetrachloro-m-xylene [1]	69.9	30-150						8/15/14 18:56	
Tetrachloro-m-xylene [2]	68.9	30-150						8/15/14 18:56	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-05

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-05

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:09	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	91.0	30-150						8/15/14 19:09	
Decachlorobiphenyl [2]	85.9	30-150						8/15/14 19:09	
Tetrachloro-m-xylene [1]	82.4	30-150						8/15/14 19:09	
Tetrachloro-m-xylene [2]	81.5	30-150						8/15/14 19:09	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Sampled: 7/13/2014 00:00

Field Sample #: C0813-06

Sample ID: 14H0613-06

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:22	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	87.5	30-150						8/15/14 19:22	
Decachlorobiphenyl [2]	83.5	30-150						8/15/14 19:22	
Tetrachloro-m-xylene [1]	76.8	30-150						8/15/14 19:22	
Tetrachloro-m-xylene [2]	75.3	30-150						8/15/14 19:22	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-07

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-07

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1248 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1254 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:35	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	84.0	30-150							
Decachlorobiphenyl [2]	80.2	30-150							
Tetrachloro-m-xylene [1]	80.5	30-150							
Tetrachloro-m-xylene [2]	79.3	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-08

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-08

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 19:48	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	50.7	30-150						8/15/14 19:48	
Decachlorobiphenyl [2]	47.7	30-150						8/15/14 19:48	
Tetrachloro-m-xylene [1]	47.8	30-150						8/15/14 19:48	
Tetrachloro-m-xylene [2]	47.2	30-150						8/15/14 19:48	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-09

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-09

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 20:01	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	76.1	30-150						8/15/14 20:01	
Decachlorobiphenyl [2]	72.6	30-150						8/15/14 20:01	
Tetrachloro-m-xylene [1]	76.6	30-150						8/15/14 20:01	
Tetrachloro-m-xylene [2]	75.4	30-150						8/15/14 20:01	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-10

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-10

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1221 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1232 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1242 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1248 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1254 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1260 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1262 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Aroclor-1268 [1]	ND	0.093	mg/Kg	1		SW-846 8082A	8/15/14	8/16/14 11:06	JMB
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	98.1	30-150							
Decachlorobiphenyl [2]	94.3	30-150							
Tetrachloro-m-xylene [1]	83.2	30-150							
Tetrachloro-m-xylene [2]	68.1	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-11

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-11

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1248 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1254 [2]	0.37	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:02	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	83.0	30-150							
Decachlorobiphenyl [2]	78.1	30-150							
Tetrachloro-m-xylene [1]	71.2	30-150							
Tetrachloro-m-xylene [2]	58.4	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Sampled: 7/13/2014 00:00

Field Sample #: C0813-12

Sample ID: 14H0613-12

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1248 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1254 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:15	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	77.7	30-150						8/15/14 17:15	
Decachlorobiphenyl [2]	73.9	30-150						8/15/14 17:15	
Tetrachloro-m-xylene [1]	65.8	30-150						8/15/14 17:15	
Tetrachloro-m-xylene [2]	53.8	30-150						8/15/14 17:15	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-13

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-13

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:27	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	89.9	30-150						8/15/14 17:27	
Decachlorobiphenyl [2]	83.3	30-150						8/15/14 17:27	
Tetrachloro-m-xylene [1]	80.0	30-150						8/15/14 17:27	
Tetrachloro-m-xylene [2]	65.0	30-150						8/15/14 17:27	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-14

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-14

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:39	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	81.1	30-150						8/15/14 17:39	
Decachlorobiphenyl [2]	75.8	30-150						8/15/14 17:39	
Tetrachloro-m-xylene [1]	69.1	30-150						8/15/14 17:39	
Tetrachloro-m-xylene [2]	56.4	30-150						8/15/14 17:39	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-15

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-15

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 17:52	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	81.0	30-150						8/15/14 17:52	
Decachlorobiphenyl [2]	76.4	30-150						8/15/14 17:52	
Tetrachloro-m-xylene [1]	74.2	30-150						8/15/14 17:52	
Tetrachloro-m-xylene [2]	60.5	30-150						8/15/14 17:52	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-16

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-16

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1248 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1254 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:04	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	71.6	30-150						8/15/14 18:04	
Decachlorobiphenyl [2]	66.9	30-150						8/15/14 18:04	
Tetrachloro-m-xylene [1]	59.6	30-150						8/15/14 18:04	
Tetrachloro-m-xylene [2]	48.9	30-150						8/15/14 18:04	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-17

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-17

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1221 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1232 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1242 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1248 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1254 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1260 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1262 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Aroclor-1268 [1]	ND	0.095	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:16	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	97.2	30-150							
Decachlorobiphenyl [2]	91.4	30-150							
Tetrachloro-m-xylene [1]	83.4	30-150							
Tetrachloro-m-xylene [2]	67.8	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-18

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-18

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:29	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	94.8	30-150						8/15/14 18:29	
Decachlorobiphenyl [2]	89.3	30-150						8/15/14 18:29	
Tetrachloro-m-xylene [1]	84.7	30-150						8/15/14 18:29	
Tetrachloro-m-xylene [2]	68.8	30-150						8/15/14 18:29	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Sampled: 7/13/2014 00:00

Field Sample #: C0813-19

Sample ID: 14H0613-19

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:41	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	59.9	30-150						8/15/14 18:41	
Decachlorobiphenyl [2]	56.6	30-150						8/15/14 18:41	
Tetrachloro-m-xylene [1]	52.2	30-150						8/15/14 18:41	
Tetrachloro-m-xylene [2]	43.2	30-150						8/15/14 18:41	

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Project Location: Osborn School

Sample Description:

Work Order: 14H0613

Date Received: 8/14/2014

Field Sample #: C0813-20

Sampled: 7/13/2014 00:00

Sample ID: 14H0613-20

Sample Matrix: Concrete

Polychlorinated Biphenyls with 3540 Soxhlet Extraction

Analyte	Results	RL	Units	Dilution	Flag/Qual	Method	Date Prepared	Date/Time Analyzed	Analyst
Aroclor-1016 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1221 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1232 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1242 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1248 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1254 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1260 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1262 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Aroclor-1268 [1]	ND	0.10	mg/Kg	1		SW-846 8082A	8/14/14	8/15/14 18:53	KAL
Surrogates	% Recovery	Recovery Limits	Flag/Qual						
Decachlorobiphenyl [1]	101	30-150							
Decachlorobiphenyl [2]	94.8	30-150							
Tetrachloro-m-xylene [1]	90.6	30-150							
Tetrachloro-m-xylene [2]	73.4	30-150							

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

Sample Extraction Data

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date
14H0613-01 [C0813-01]	B102641	2.00	10.0	08/14/14
14H0613-02 [C0813-02]	B102641	2.00	10.0	08/14/14
14H0613-03 [C0813-03]	B102641	2.00	10.0	08/14/14
14H0613-04 [C0813-04]	B102641	2.00	10.0	08/14/14
14H0613-05 [C0813-05]	B102641	2.00	10.0	08/14/14
14H0613-06 [C0813-06]	B102641	2.00	10.0	08/14/14
14H0613-07 [C0813-07]	B102641	2.10	10.0	08/14/14
14H0613-08 [C0813-08]	B102641	2.00	10.0	08/14/14
14H0613-09 [C0813-09]	B102641	2.00	10.0	08/14/14
14H0613-11 [C0813-11]	B102641	2.10	10.0	08/14/14
14H0613-12 [C0813-12]	B102641	2.10	10.0	08/14/14
14H0613-13 [C0813-13]	B102641	2.00	10.0	08/14/14
14H0613-14 [C0813-14]	B102641	2.00	10.0	08/14/14
14H0613-15 [C0813-15]	B102641	2.00	10.0	08/14/14
14H0613-16 [C0813-16]	B102641	2.10	10.0	08/14/14
14H0613-17 [C0813-17]	B102641	2.10	10.0	08/14/14
14H0613-18 [C0813-18]	B102641	2.00	10.0	08/14/14
14H0613-19 [C0813-19]	B102641	2.00	10.0	08/14/14
14H0613-20 [C0813-20]	B102641	2.00	10.0	08/14/14

Prep Method: SW-846 3540C-SW-846 8082A

Lab Number [Field ID]	Batch	Initial [g]	Final [mL]	Date
14H0613-10RE1 [C0813-10]	B102775	1.08	5.00	08/15/14

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B102641 - SW-846 3540C

Blank (B102641-BLK1)

Prepared: 08/14/14 Analyzed: 08/15/14

Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0.10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0.10	mg/Kg							
Aroclor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0.10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0.10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
Surrogate: Decachlorobiphenyl	0.528		mg/Kg	1.00		52.8	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.493		mg/Kg	1.00		49.3	30-150			
Surrogate: Tetrachloro-m-xylene	0.520		mg/Kg	1.00		52.0	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.428		mg/Kg	1.00		42.8	30-150			

LCS (B102641-BS1)

Prepared: 08/14/14 Analyzed: 08/15/14

Aroclor-1016	0.23	0.10	mg/Kg	0.250		90.2	40-140			
Aroclor-1016 [2C]	0.23	0.10	mg/Kg	0.250		91.8	40-140			
Aroclor-1260	0.23	0.10	mg/Kg	0.250		92.5	40-140			
Aroclor-1260 [2C]	0.25	0.10	mg/Kg	0.250		99.4	40-140			
Surrogate: Decachlorobiphenyl	0.933		mg/Kg	1.00		93.3	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.868		mg/Kg	1.00		86.8	30-150			
Surrogate: Tetrachloro-m-xylene	0.859		mg/Kg	1.00		85.9	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.702		mg/Kg	1.00		70.2	30-150			

LCS Dup (B102641-BSD1)

Prepared: 08/14/14 Analyzed: 08/15/14

Aroclor-1016	0.18	0.10	mg/Kg	0.250		74.0	40-140	19.8	30	
Aroclor-1016 [2C]	0.19	0.10	mg/Kg	0.250		75.9	40-140	18.9	30	
Aroclor-1260	0.20	0.10	mg/Kg	0.250		78.5	40-140	16.3	30	
Aroclor-1260 [2C]	0.20	0.10	mg/Kg	0.250		80.0	40-140	21.7	30	
Surrogate: Decachlorobiphenyl	0.768		mg/Kg	1.00		76.8	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.713		mg/Kg	1.00		71.3	30-150			
Surrogate: Tetrachloro-m-xylene	0.690		mg/Kg	1.00		69.0	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.566		mg/Kg	1.00		56.6	30-150			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

QUALITY CONTROL

Polychlorinated Biphenyls with 3540 Soxhlet Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B102775 - SW-846 3540C

Blank (B102775-BLK1)

Prepared: 08/15/14 Analyzed: 08/16/14

Aroclor-1016	ND	0.10	mg/Kg							
Aroclor-1016 [2C]	ND	0.10	mg/Kg							
Aroclor-1221	ND	0.10	mg/Kg							
Aroclor-1221 [2C]	ND	0.10	mg/Kg							
Aroclor-1232	ND	0.10	mg/Kg							
Aroclor-1232 [2C]	ND	0.10	mg/Kg							
Aroclor-1242	ND	0.10	mg/Kg							
Aroclor-1242 [2C]	ND	0.10	mg/Kg							
Aroclor-1248	ND	0.10	mg/Kg							
Aroclor-1248 [2C]	ND	0.10	mg/Kg							
Aroclor-1254	ND	0.10	mg/Kg							
Aroclor-1254 [2C]	ND	0.10	mg/Kg							
Aroclor-1260	ND	0.10	mg/Kg							
Aroclor-1260 [2C]	ND	0.10	mg/Kg							
Aroclor-1262	ND	0.10	mg/Kg							
Aroclor-1262 [2C]	ND	0.10	mg/Kg							
Aroclor-1268	ND	0.10	mg/Kg							
Aroclor-1268 [2C]	ND	0.10	mg/Kg							
Surrogate: Decachlorobiphenyl	0.899		mg/Kg	1.00		89.9	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.849		mg/Kg	1.00		84.9	30-150			
Surrogate: Tetrachloro-m-xylene	0.770		mg/Kg	1.00		77.0	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.630		mg/Kg	1.00		63.0	30-150			

LCS (B102775-BS1)

Prepared: 08/15/14 Analyzed: 08/16/14

Aroclor-1016	0.15	0.10	mg/Kg	0.250		60.7	40-140			
Aroclor-1016 [2C]	0.15	0.10	mg/Kg	0.250		61.2	40-140			
Aroclor-1260	0.16	0.10	mg/Kg	0.250		66.0	40-140			
Aroclor-1260 [2C]	0.19	0.10	mg/Kg	0.250		74.0	40-140			
Surrogate: Decachlorobiphenyl	0.695		mg/Kg	1.00		69.5	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.663		mg/Kg	1.00		66.3	30-150			
Surrogate: Tetrachloro-m-xylene	0.587		mg/Kg	1.00		58.7	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.485		mg/Kg	1.00		48.5	30-150			

LCS Dup (B102775-BSD1)

Prepared: 08/15/14 Analyzed: 08/16/14

Aroclor-1016	0.18	0.10	mg/Kg	0.250		73.6	40-140	19.2	30	
Aroclor-1016 [2C]	0.18	0.10	mg/Kg	0.250		74.0	40-140	18.8	30	
Aroclor-1260	0.19	0.10	mg/Kg	0.250		76.6	40-140	14.9	30	
Aroclor-1260 [2C]	0.21	0.10	mg/Kg	0.250		84.2	40-140	12.9	30	
Surrogate: Decachlorobiphenyl	0.794		mg/Kg	1.00		79.4	30-150			
Surrogate: Decachlorobiphenyl [2C]	0.754		mg/Kg	1.00		75.4	30-150			
Surrogate: Tetrachloro-m-xylene	0.652		mg/Kg	1.00		65.2	30-150			
Surrogate: Tetrachloro-m-xylene [2C]	0.537		mg/Kg	1.00		53.7	30-150			

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

**IDENTIFICATION SUMMARY
FOR SINGLE COMPONENT ANALYTES****C0813-11***SW-846 8082A*

Lab Sample ID: 14H0613-11 Date(s) Analyzed: 08/15/2014 08/15/2014
Instrument ID (1): _____ Instrument ID (2): _____
GC Column (1): _____ ID: _____ (mm) GC Column (2): _____ ID: _____ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1254	1	0.00	0.00	0.00	0.34	
	2	0.00	0.00	0.00	0.37	9.3

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

LCS

Lab Sample ID: B102641-BS1 Date(s) Analyzed: 08/15/2014 08/15/2014
Instrument ID (1): _____ Instrument ID (2): _____
GC Column (1): _____ ID: _____ (mm) GC Column (2): _____ ID: _____ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.23	
	2	0.00	0.00	0.00	0.23	2
Aroclor-1260	1	0.00	0.00	0.00	0.23	
	2	0.00	0.00	0.00	0.25	8

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

LCS Dup

Lab Sample ID: B102641-BSD1 Date(s) Analyzed: 08/15/2014 08/15/2014

Instrument ID (1): _____ Instrument ID (2): _____

GC Column (1): _____ ID: _____ (mm) GC Column (2): _____ ID: _____ (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.18	
	2	0.00	0.00	0.00	0.19	3
Aroclor-1260	1	0.00	0.00	0.00	0.20	
	2	0.00	0.00	0.00	0.20	2

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

LCS

Lab Sample ID: B102775-BS1 Date(s) Analyzed: 08/16/2014 08/16/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.15	
	2	0.00	0.00	0.00	0.15	1
Aroclor-1260	1	0.00	0.00	0.00	0.16	
	2	0.00	0.00	0.00	0.19	14

IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

SW-846 8082A

LCS Dup

Lab Sample ID: B102775-BSD1 Date(s) Analyzed: 08/16/2014 08/16/2014

Instrument ID (1): Instrument ID (2):

GC Column (1): ID: (mm) GC Column (2): ID: (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%D
			FROM	TO		
Aroclor-1016	1	0.00	0.00	0.00	0.18	
	2	0.00	0.00	0.00	0.18	2
Aroclor-1260	1	0.00	0.00	0.00	0.19	
	2	0.00	0.00	0.00	0.21	9

39 Spruce Street * East Longmeadow, MA 01028 * FAX 413/525-6405 * TEL. 413/525-2332

FLAG/QUALIFIER SUMMARY

- * QC result is outside of established limits.
- † Wide recovery limits established for difficult compound.
- ‡ Wide RPD limits established for difficult compound.
- # Data exceeded client recommended or regulatory level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>SW-846 8082A in Product/Solid</i>	
Aroclor-1016	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1016 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1221	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1221 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1232	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1232 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1242	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1242 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1248	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1248 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1254	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1254 [2C]	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1260	CT,NH,NY,ME,NC,VA,NJ
Aroclor-1260 [2C]	CT,NH,NY,ME,NC,VA,NJ

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations:

Code	Description	Number	Expires
AIHA	AIHA-LAP, LLC	100033	02/1/2016
MA	Massachusetts DEP	M-MA100	06/30/2015
CT	Connecticut Department of Public Health	PH-0567	09/30/2015
NY	New York State Department of Health	10899 NELAP	04/1/2015
NH-S	New Hampshire Environmental Lab	2516 NELAP	02/5/2015
RI	Rhode Island Department of Health	LAO00112	12/30/2014
NC	North Carolina Div. of Water Quality	652	12/31/2014
NJ	New Jersey DEP	MA007 NELAP	06/30/2015
FL	Florida Department of Health	E871027 NELAP	06/30/2015
VT	Vermont Department of Health Lead Laboratory	LL015036	07/30/2015
WA	State of Washington Department of Ecology	C2065	02/23/2015
ME	State of Maine	2011028	06/9/2015
VA	Commonwealth of Virginia	460217	12/14/2014
NH-P	New Hampshire Environmental Lab	2557 NELAP	09/6/2014

Page 36 of 40 14H0613_1 Contest_Final 08 16 14 1411 08/16/14 14:12:09



con-test[®]
ANALYTICAL LABORATORY

Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 Spruce Street
East Longmeadow, MA 01028

Page 2 of 6

14H0613

Company Name: AMC Environmental

Telephone: 203-378-5020

Address: P.O. Box 423
Stratford, CT 06615

Project #

Attention: Jason Pringle

Client PO#

Project Location: Osborn School

Fax #

Sampled By: B. Graham

Email:

results@amcenviro.com

Project Proposal Provided? (for billing purposes)
☐ yes ☐ proposal date

Format: ☐ PDF ☐ EXCEL ☐ GIS
☐ OTHER

DATA DELIVERY (check all that apply)
☐ FAX ☐ EMAIL ☐ WEBSITE

ANALYSIS REQUESTED

of Containers
** Preservation
*** Container Code

Dissolved Metals
☐ Field Filtered
☐ Lab to Filter

***Cont. Code:

A=amber glass
G=glass
P=plastic
ST=sterile
V=vial
S=sunma can
T=tedlar bag
O=Other

**Preservation

I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
X = Na hydroxide
T = Na thiosulfate
O = Other

*Matrix Code:

GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Is your project MCP or RCP?

☐ MCP Form Required
☐ RCP Form Required
☐ MA State DW Form Required PWSID #



NELAC & AIHA Certified
WBE/DBE Certified

Turnaround ^{††}
☐ 7-Day
☐ 10-Day
☒ Other RUSH
☐ 24-Hr ☒ 48-Hr
☐ 72-Hr ☐ 14-Day

Detection Limit Requirements
Massachusetts: _____
Connecticut: <1PPM
Other: _____

[†] Require lab approval

Other:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:


780124462359

Ship (P/U) date
Wed 8/13/2014 5:09 pm
 CHA US



Delivered
 Signed for by: G. COLLINS

Actual delivery
Thur 8/14/2014 9:36 am
 MA US

3 Piece shipment

Let us tell you when your shipment arrives. Sign up for delivery notifications

Travel History

▲ Date/Time	Activity	Location
- 8/14/2014 - Thursday		
9:36 am	Delivered	MA
8:09 am	On FedEx vehicle for delivery	WINDSOR LOCKS, CT
7:19 am	At local FedEx facility	WINDSOR LOCKS, CT
6:03 am	At destination sort facility	EAST GRANBY, CT
4:27 am	Departed FedEx location	INDIANAPOLIS, IN
12:18 am	Arrived at FedEx location	INDIANAPOLIS, IN
- 8/13/2014 - Wednesday		
9:43 pm	Left FedEx origin facility	PINEVILLE, NC
5:09 pm	Picked up Tendered at FedEx Office	CHARLOTTE, NC

Local Scan Time


Shipment Facts

Tracking number	780124462359	Service	FedEx Priority Overnight
Master tracking number	805046296225	Dimensions	26x14x15 in.
Delivered To	Receptionist/Front Desk	Total pieces	3
Total shipment weight	98 lbs / 44.45 kgs	Packaging	Your Packaging
Special handling section	Deliver Weekday		

39 Spruce St.
East Longmeadow, MA. 01028
P: 413-525-2332
F: 413-525-6405
www.contestlabs.com



Page 1 of 2



Sample Receipt Checklist

CLIENT NAME: AMC Environmental

RECEIVED BY: CC

DATE: 8.14.14

1) Was the chain(s) of custody relinquished and signed? Yes No No CoC Included

2) Does the chain agree with the samples? Yes No

If not, explain:

3) Are all the samples in good condition? Yes No

If not, explain:

4) How were the samples received:

On Ice ☒ Direct from Sampling ☐ Ambient ☐ In Cooler(s) ☒

Were the samples received in Temperature Compliance of (2-6°C)? Yes No N/A

Temperature °C by Temp blank _____ Temperature °C by Temp gun 3.5°

5) Are there Dissolved samples for the lab to filter? Yes No

Who was notified _____ Date _____ Time _____

6) Are there any RUSH or SHORT HOLDING TIME samples? Yes No

Who was notified _____ Date _____ Time _____

7) Location where samples are stored:

19

Permission to subcontract samples? Yes No

(Walk-in clients only) if not already approved

Client Signature: _____

8) Do all samples have the proper Acid pH: Yes No N/A

9) Do all samples have the proper Base pH: Yes No N/A

10) Was the PC notified of any discrepancies with the CoC vs the samples: Yes No N/A

Containers received at Con-Test

	# of containers		# of containers
1 Liter Amber		8 oz amber/clear jar	
500 mL Amber		4 oz amber/clear jar	
250 mL Amber (8oz amber)		2 oz amber/clear jar	<u>20C</u>
1 Liter Plastic		Plastic Bag / Ziploc	
500 mL Plastic		SOC Kit	
250 mL plastic		Non-ConTest Container	
40 mL Vial - type listed below		Perchlorate Kit	
Colisure / bacteria bottle		Flashpoint bottle	
Dissolved Oxygen bottle		Other glass jar	
Encore		Other	

Laboratory Comments:

40 mL vials: # HCl _____ # Methanol _____

Doc# 277 # Bisulfate _____ # DI Water _____

Rev. 4 August 2013 # Thiosulfate _____ Unpreserved

Time and Date Frozen:

Login Sample Receipt Checklist**(Rejection Criteria Listing - Using Sample Acceptance Policy)****Any False statement will be brought to the attention of Client**

Question	Answer (True/False)		Comment
	T/F/NA		
1) The cooler's custody seal, if present, is intact.	T		
2) The cooler or samples do not appear to have been compromised or tampered with.	T		
3) Samples were received on ice.	T		
4) Cooler Temperature is acceptable.	T		
5) Cooler Temperature is recorded.	T		
6) COC is filled out in ink and legible.	T		
7) COC is filled out with all pertinent information.	T		
8) Field Sampler's name present on COC.	T		
9) There are no discrepancies between the sample IDs on the container and the COC.	T		
10) Samples are received within Holding Time.	T		
11) Sample containers have legible labels.	T		
12) Containers are not broken or leaking.	T		
13) Air Cassettes are not broken/open.	NA		
14) Sample collection date/times are provided.	T		
15) Appropriate sample containers are used.	T		
16) Proper collection media used.	T		
17) No headspace sample bottles are completely filled.	T		
18) There is sufficient volume for all requested analyses, including any requested MS/MSDs.	T		
19) Trip blanks provided if applicable.	T		
20) VOA sample vials do not have head space or bubble is <6mm (1/4") in diameter.	NA		
21) Samples do not require splitting or compositing.	T		

Doc #277 Rev. 4 August 2013

Who notified of False statements?

Log-In Technician Initials: CC

Date/Time:

Date/Time: 8.14.14 0936